









Tumorigenesis 3D in vitro test: automated quantification/analysis of spheroid formation

Prof. Brandi














VITALITY SPOKE 8 WP1 Task 8.1.3

Infrastructure for chemopreventive and antitumorigenic properties evaluation

<u>Tumorigenesis 3D in vitro test</u>: automated quantification/analysis of spheroid formation

- <u>2D in vitro test</u>: antiproliferative assays (MTS assay)
- 3D in vitro test: translational relevance for antitumorigenic assays and recurrence prevention



- Spheroid quantification (Manual count):
- Time consuming
- Laborious
- Difficult to achieve objectivity
- No dimension information

VITALITY SPOKE 8 WP1 Task 8.1.3

Infrastructure for chemopreventive and antitumorigenic properties evaluation

<u>Tumorigenesis 3D in vitro test</u>:

automated quantification/analysis of spheroid formation

3D in vitro test: automated quantification to screen UNIURB library





GelCount™

0530

Mammalian-cell colony, spheroid and organoid counter







VITALITY SPOKE 8 WP1 Task 8.1.3

Infrastructure for chemopreventive and antitumorigenic properties evaluation

<u>Tumorigenesis 3D in vitro test</u>: automated quantification/analysis of spheroid formation

3D in vitro test: automated quantification for UNIURB library screening



GelCount™

0530

Mammalian-cell colony, spheroid and organoid counter

- Key Benefits
- An integrated colony counting platform (all-in-one solution for imaging, counting, and characterizing adherent or non-adherent colonies, spheroids, or organoids)
- Objective 'machine' counting (colony counts and colony size distribution)
- High throughput performance
- Versatility (both adherent and non-adherent colonies)
- Individual colony statistics (colony and cell growth dynamics analysis)